

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S132	8904	(requir\$5 need \$3 necessary critical) near3 boot\$3	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 11:44
S135	2	S133 same (peripheral\$1 device\$1) near4 bridge	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 11:45
S134	1	S133 same (pci near3 bridge)	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 11:45
S133	813	(requir\$5 need \$3 necessary critical) near3 boot\$3 near6 (device\$1 peripheral\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 11:45
S137	0	S136 with S132	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 11:57
S136	6925	pci adj bridge	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 11:57
S138	11	(pci adj bridge) with (configur\$3 allocat\$3 enabl \$3) near4 (boot \$3 initializ\$5)	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 11:58
S139	13	device adj map with pci	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:05
S142	9	S141 with (show \$3 near4 connect\$5)	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:27
S141	1622	device adj map	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:27

S140	0	device adj map with topology	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:27
S145	0	S143 with boot \$3	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:33
S144	0	S143 with (show \$3 near4 connect\$5)	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:33
S143	94	peripheral adj map	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:33
S146	68	efi near3 variable\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:34
S148	3	S147 with S132	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:35
S147	106	(efi "extensible firmware interface") near4 (variable \$1 value\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:35
S149	1	efi near4 bds	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:36
S150	1	"6161151".pn.	US-PGPUB; USPAT; EPO	OR	OFF	2008/06/30 12:38
L2	1	"boot-critical device"	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:47
L1	5347	(713/1 713/2 713/100).ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:47
L9	0	boot adj device adj variable	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:54
L8	0	error-out adj variable	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:54
L7	0	console-out adj variable	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:54

L6	0	console-in adj variable	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:54
L5	0	4.clm.	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:54
L4	25	3 with efi	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:54
L3	60	"boot device selection"	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:54
L12	3862	(allocat\$3 near3 resource\$1) with device\$1	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:55
L11	0	10.clm.	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:55
L10	2	bds near2 variable	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:55
L14	1	13.clm.	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:56
L13	3	12 same efi	US-PGPUB; USPAT; EPO	OR	OFF	2008/07/01 12:56

7/ 1/ 2008 12:56:34 PM

C:\Documents and Settings\jbae\My Documents\EAST\Workspaces
10587448_booting.wsp